



12 inch monitor (white)

Item number: 12HD5W

This white 12 inch monitor delivers best-in-class picture quality. The monitor has a LED-IPS panel which provides crystal-clear image quality with excellent 178° viewing angles. The 12HD5W can be connected through a HDMI, VGA, BNC or RCA connection, and is suitable for desktop and wall mounting.

- ✓ 1920 x 1080 resolution (Full HD)
- ✓ Input: HDMI, VGA, BNC and RCA
- ✓ Desktop and wall mountable
- ✓ 284 x 179 x 35 mm



GENERAL

Manufacturer	Beetronics
Item number	12HD5W
Product name	12 inch monitor (white)
Warranty	2 years

PANEL

Type	Matte, LED-IPS
Screen diagonal	11.6 inches (295 mm)
Aspect ratio	16:9 (4:3 adjustable)
Native resolution	1920 x 1080
Supported resolutions	1920 x 1080 (max), 640 x 480 (min)
Pixels per inch	184 PPI
Viewing angle	178° horizontal, 178° vertical
Colour encoding system	PAL/NTSC/SECAM
Brightness	400 cd/m ²
Contrast	700:1

CONNECTIVITY

HDMI	✓ 1x
VGA	✓ 1x
BNC (CVBS)	✓ 1x
RCA video	✓ 1x
AUX output	✓ 1x
USB	✓ 1x (MP4, AVI, MKV, MOV, MPG, MP3, WMA, JPG, JPEG, PNG)

SIZE & WEIGHT

Colour	Black
Weight	780 gram (1200 gram with stand)
Width	284 mm
Height	179 mm (+0 to 39 mm with stand)
Thickness	35 mm
Display dimensions	257 x 145 mm

FEATURES AND FUNCTIONS

Audio	Integrated speakers
Key-lock	The control buttons can be blocked
Auto-on	Automatically powers on when it receives current or a signal
Dimmable	Adjustable backlight brightness
Mirroring	Image can be mirrored, horizontally and vertically

POWER

Input voltage	DC 12V
Power supply	Input: 110-240V ~ 50/60Hz - Output: 12V-2A
Consumption	<15 Watt (0.5 Watt standby)

ENVIRONMENTAL

Operating temperature	-20c° to +60c°
Storage temperature	-20c° to +70c°
Operating humidity	20% - 90% non-condensing

MOUNTING

Wall mount	✓ VESA (75 mm)
Flush mount	✓ Possible, no accessories available
Stand	✓ Adjustable and detachable

CERTIFICATIONS & STANDARDS

Certifications	CE, FCC, RoHS, REACH
----------------	----------------------

PACKAGE CONTENT

Includes	Monitor, Manual, Remote control, Mains adaptor, Stand
----------	---



